Iowans Walking Assessment Logistics Kit
A SRTS Program

Mount Ayr Elementary
Mount Ayr, Iowa

Spring 2013

i-walk

Iowans Fit for Life
ACTIVE AND EATING SMART

IDPH
Iowa Department
of Public Health

IOWA STATE UNIVERSITY
Extension and Outreach

Acknowledgements

Introduction

In the past three decades, the number of obese and overweight individuals in Iowa and across the nation has skyrocketed. With obesity comes the greater risk of health complications and life expectancy reduction. As a result, the current generation of youth face a new and growing threat to their overall quality of life. In Iowa alone, 37.1% of 3rd grade students are identified as either overweight or obese.[*] Given the prevalence of obese and overweight individuals, it is important to promote healthy behaviors for all Iowans. The development of Safe Routes to School (SRTS) is a key component of advocating healthy behaviors. A vision of healthy Iowa communities must regard and value safe routes to and from school.

The Iowans Walking Assessment Logistics Kit (I-WALK) program aims to provide community coalitions with relevant local information to assist them in continuously updating, implementing, and evaluating their SRTS plan. The I-WALK program is an Iowa SRTS project funded through the Iowa Department of Transportation, administered by the Iowa Department of Public Health (IDPH) and Iowa State University Extension and Outreach(ISUEO) and implemented by communities across Iowa. I-WALK utilizes web mapping technologies and global positioning systems (GPS) units to accurately map routes that children use to walk or bicycle to school and identify safety barriers and solutions. Creating environments that encourage children to walk or bicycle safely to school will improve health outcomes by providing additional opportunities to reach the recommended daily 60 minutes of physical activity, as well as normalize walking as part of a lifestyle habit.

I-WALK was piloted in 2010 and 2011 in twelve Iowa communities. IDPH selected the pilot communities by choosing two from each of the six public health regions in the state.

Iowa Department of Public Health 2010 BMI Assessment

The project team consists of Christopher J. Seeger, ISUEO landscape architect and associate professor of landscape architecture; Cathy Lillehoj, IDPH chief epidemiologist and program evaluator; Suzy Wilson, IDPH project manager; Alan Jensen, ISU Geospatial Technology Program Coordinator and Local Public Health (LPH) led efforts in each community.

The I-WALK project consists of four components: 1) teacher tally, 2) parent/child survey, 3) GPS walkability workshops and 4) community coalitions.

1. Teacher Tally
The Teacher Tally was developed to help communities determine how students get to and from school each day. This information provided the baseline data needed to determine any change in walking or bicycling to and from school and helped evaluate the short and long term effectiveness of the I-WALK program.

Over the course of several consecutive days, teachers listed the different ways students could get to school and then, with a show of hands, students indicated how they got to and from school that day. The teacher recorded the information along with the daily weather conditions on the teacher tally. Individual students were not identified on the tally sheet, only aggregate data were recorded.

2. Parent/Child Survey
The purpose of the survey was to better understand how each child gets to/from school and concerns parents have about their children walking or biking to/from school. While most of the survey focused on SRTS issues for those who walk or bike to school, parents and children that live in the country and ride the bus also participated. The survey is divided into the following parts:

- Multiple-choice survey questions
  - Parent or Guardian completed
- Distance mapping between home and school
  - Parent or Guardian completed
- Route mapping
  - Parent or Guardian and child completed together
- Barrier/opportunity mapping
  - Parent or Guardian and child completed together

Introduction

3. GPS Walkability Workshops

Trained citizen volunteers conducted inventory of their community using iPhones equipped with the ESRI ArcGIS iPhone app customized for use in SRTS projects by ISUEO. The I-WALK team trained the volunteers in each of the pilot communities to use the iPhone app. The volunteers then took to the streets to collect data.

Citizen volunteers mapped information from three categories: intersections, midblock sidewalks, and additional features that impede pedestrians and cyclists. At intersections, volunteers indicated presence or absence of painted crosswalks and curb cuts, and what type of control system, if any, was in place (e.g., stop signs, stoplight, flashing light). Volunteers evaluated sidewalks at midblock, indicating presence or absence of sidewalks, sidewalk condition and width. Additional features included barriers (e.g., vegetation growth across the sidewalk, places where water frequently pools on the sidewalk, sidewalks that just end, barking dogs that scare children).

4. Community Coalitions

LPH led an effort to create a SRTS coalition in the community to help address issues identified by the assessments. The communities used resources from the SRTS website to guide invitations to local stakeholder involvement. Once the coalitions were created, communities started investigating funding for future projects.

The following report includes the data compiled while conducting the I-WALK assessment surrounding the elementary school.

Maintenance of vegetation along sidewalks is an important part of the SRTS plan.

I-WALK Participating Schools

Teacher Tally

Teachers asked students to indicate by raise of hand how they travel to and from school during the Fall and Spring tally period. In addition to the standard modes of transportation, students responded to a School Bus Plus category to indicate they rode a school bus in addition to walking or biking as part of their travel to and from school. Results for individual grades and all participating schools can be found at the I-WALK website, www.i-walk.org.

School: _____

Teacher: _____

Grade: _____   Total No. students in class _____

No. students living in city _____ country _____

The purpose of this tally is to record how students get to and from school each day. On the first day, ask the class by raise of hand if they live within the city or in the country. Record this information above.

1. Ask the class to think about how they came to school. Did they walk to school, ride the bus or maybe walk to a local bus stop. Read through all the potential answers so the students know the choices.

2. Ask students, by a raise of hands, how many kids walk/bike/scoot to a local school bus stop. Count the hands raised and record that number in the School Bus Plus box. Note:
- Students that raise their hand for this may also raise their hand again for Walk, Bike or Scoot, but they should NOT raise their hand again for the School Bus Only option.
- A student that walks to the community bus stop in another town and then rides the bus should be counted as a School Bus Plus and Walker, not a School Bus Only rider.

3. Ask the class by raise of hand to answer "How did you arrive at school or your community school bus stop today?" Record results in the appropriate box along with the general weather that day (Sun, Rain, Overcast, Windy, SNow or COlder than normal).

4. Repeat for walking home and the remaining two days of the week.

5. At the end of the three days, you will need to visit www.i-walk.org, click on the Teacher Tally menu, then the link under Data Collection Forms. There you will enter the data collected from the 3-day tally.

I-WALK: Teacher Tally

___/___/___ Start Date	Tuesday		Wednesday		Thursday	
	To	From	To	From	To	From
School Bus Plus						
Walk						
Bike						
Skate/Scoot						
School Bus Only						
Family Vehicle						
Carpool						
Public Trans.						
Other						
Weather (circle)	S, R, O, W, SN, CO	S, R, O, W, SN, CO	S, R, O, W, SN, CO	S, R, O, W, SN, CO	S, R, O, W, SN, CO	S, R, O, W, SN, CO

Teacher Tally Details

To School: Survey Start Date 09/25/12

Sub Group	# Survey Forms	Bus Plus	Walk	Bike	Bus Only	Family	Carpool	Public	Other
District	7	5%	7.6%	1.1%	43.9%	45%	1.3%	0%	0.6%
District gd. 3	2	12.1%	5.6%	0.9%	47.7%	45.8%	0%	0%	0%
District gd. 4	3	2.3%	9.4%	0%	43.2%	42.3%	2.8%	0%	1.4%
District gd. 5	2	3.5%	6.3%	2.8%	42.3%	48.6%	0%	0%	0%

From School: Survey Start Date 09/25/12

Sub Group	# Survey Forms	Bus Plus	Walk	Bike	Bus Only	Family	Carpool	Public	Other
District	7	5.7%	19.1%	1.1%	41.7%	34.6%	2.4%	0%	0.7%
District gd. 3	2	12.1%	14%	0.9%	55.1%	29.9%	0%	0%	0%
District gd. 4	3	2.8%	18.8%	0%	32.9%	40.8%	5.2%	0%	1.4%
District gd. 5	2	5.1%	23.5%	2.9%	44.9%	28.7%	0%	0%	0%

To School: Survey Start Date 04/23/13

Sub Group	# Survey Forms	Bus Plus	Walk	Bike	Bus Only	Family	Carpool	Public	Other
District	6	3.8%	6.6%	2%	39.1%	52%	0.3%	0%	0%
District gd. 3	2	8.8%	8%	2.7%	40.7%	48.7%	0%	0%	0%
District gd. 4	2	3.8%	5.3%	0%	43.6%	51.1%	0%	0%	0%
District gd. 5	2	0%	6.8%	3.4%	33.8%	55.4%	0.7%	0%	0%

From School: Survey Start Date 04/23/13

Sub Group	# Survey Forms	Bus Plus	Walk	Bike	Bus Only	Family	Carpool	Public	Other
District	6	3.8%	12.3%	2%	50.6%	34.8%	0.3%	0%	0%
District gd. 3	2	7.8%	18.3%	2.6%	53.9%	25.2%	0%	0%	0%
District gd. 4	2	4.7%	3.9%	0%	50%	45.3%	0.8%	0%	0%
District gd. 5	2	0%	14.9%	3.2%	48.7%	33.1%	0%	0%	0%

Teacher **Tally**

Percent To School

Percent From School

Legend: Fall 2012 | Spring 2013 | Average All Schools Fall 2012 | Average All Schools Spring 2013

Parent-Child Survey

Present Conditions

Mount Ayr Elementary School has 352 students between the grades of Pre-School through 6. Of the 146 students in grades 3 through 5, 71 surveys were completed.

Parent/Child Surveys

The purpose of the survey was to better understand how each child gets to and from school and any concerns about child[ren] walking or biking to and from school. While parts of the survey focused on SRTS issues for those who walk or bike to school, survey participation was also requested from parents and children who live in the country and ride the bus.

There were four parts to this survey:
- Multiple choice survey questions
  - Parent or Guardian completed
- Distance mapping between home and school
  - Parent or Guardian completed
- Route mapping
  - Parent or Guardian and child completed together
- Barrier/opportunity mapping
  - Parent or Guardian and child completed together

The following graphs represent data collected from the Parent/Child survey. Additional data is also available online at www.i-walk.org. Questions marked with an asterisk are from the National Safe Routes to School Survey.

*Current grade of child?

| Grade	Percent
Grade 3	32.9
Grade 4	37.1
Grade 5	22.9

Percent (n=70)

Does your school currently have an established SRTS Program?

|	Percent
Yes	16.9
No	14.1
Not Sure	69.0

Percent (n=71)

Parent-Child Survey

Do you live in the same town as the location of the school building your child attends?

Same community	35.2
Country (rural)	40.8
Other community	23.9

Percent (n=71)

*Gender of child?

Female	58.7
Male	41.3

Percent (n=63)

Age of Child?

7 years and under	3.0
8 years	21.2
9 years	33.3
10 years	25.8
11 years	16.7
12 years and over	

Percent (n=66)

*How many children do you have in Kindergarten through 8th grade?

0	2.9
1	10.3
2	58.8
3	26.5
4	1.5
5+	

Percent (n=68)

*How long does it normally take your child to get to/from school?

To

Less than 5 minutes	13.6
5 - 10 minutes	27.3
11 - 20 minutes	33.3
More than 20 minutes	19.7
Do not know/Not sure	6.1

Percent (n=66)

From

Less than 5 minutes	16.7
5 - 10 minutes	25.8
11 - 20 minutes	28.8
More than 20 minutes	24.2
Do not know/Not sure	4.5

Percent (n=66)

Parent-Child Survey

If your school provides an established location in your community for school busses to pick up the children and then take them to their school building does your child use it?

Yes — 38.1
No — 55.6
Not Sure — 6.3

Percent (n=63)

Has your child asked for permission to walk or bike to/from school in the last year?

Yes — 63.6
No — 36.4

Percent (n=33)

How far does your child live from the school or bus stop?

(Indicated they ride the bus)

Less than 1/4 mile —
1/4 mile up to 1/2 mile —
1/2 mile up to 1 mile —
1 mile up to 2 miles —
2 miles up to 5 miles — 10.7
More than 5 miles — 89.3
Don't know —

Percent (n=28)

(Indicated they do not ride the bus)

Less than 1/4 mile — 37.8
1/4 mile up to 1/2 mile — 2.7
1/2 mile up to 1 mile — 27.0
1 mile up to 2 miles — 27.0
2 miles up to 5 miles —
More than 5 miles —
Don't know — 5.4

Percent (n=37)

If your child rides the bus, do they walk or ride bike (ride scooter/skate board, etc) to the location where the bus picks them up?

Yes — 14.3
No — 85.7

Percent (n=28)

*At what grade-level would you allow your child to walk or bike without an adult to/from school?

Never — 12.1
Grade 10-12 —
Grade 9 —
Grade 8 — 3.0
Grade 7 — 9.1
Grade 6 — 6.1
Grade 5 — 15.2
Grade 4 — 12.1
Grade 3 — 30.3
Grade 2 — 9.1
Grade 1 — 3.0
Grade K —

Percent (n=33)

Parent-Child Survey

In a typical school week during each of the following seasons, how many days per week does your child use the following modes of transportation to get to and from school?

Average Days Per Week To

|	Fall Aug, Sep, Oct, Nov	Winter Dec, Jan, Feb	Spring Mar, Apr, May, Jun
Walk	0.50	0.22	0.47
Bike	0.15	0.06	0.18
Skate/Scoot *(skateboard, scooter, inline skates, etc.)*	0.00	0.00	0.00
School Bus	1.85	1.71	1.72
Family vehicle *(only with children from your family)*	2.69	2.78	2.43
Carpool *(riding with children from other families)*	0.15	0.07	0.07
Public transportation *(city bus, subway, etc.)*	0.07	0.07	0.07

Average Days Per Week From

	Fall Aug, Sep, Oct, Nov	Winter Dec, Jan, Feb	Spring Mar, Apr, May, Jun
Walk	0.72	0.35	0.69
Bike	0.16	0.06	0.18
Skate/Scoot *(skateboard, scooter, inline skates, etc.)*	0.00	0.00	0.00
School Bus	2.24	2.03	2.00
Family vehicle *(only with children from your family)*	1.82	2.13	1.76
Carpool *(riding with children from other families)*	0.15	0.15	0.15
Public transportation *(city bus, subway, etc.)*	0.07	0.07	0.07

What level of concern do you have regarding the following issues and your child walking/biking to or from school?

Distance — school is too far away

	Percent
Not a Concern	53.6
Concerns me a little	14.3
Concerns me somewhat	10.7
Concerns me greatly	21.4

Percent (n=28)

Time — not enough time to get to school

	Percent
Not a Concern	40.7
Concerns me a little	37.0
Concerns me somewhat	11.1
Concerns me greatly	11.1

Percent (n=27)

Inconvenience of allowing child to walk/bike to school

	Percent
Not a Concern	77.8
Concerns me a little	3.7
Concerns me somewhat	7.4
Concerns me greatly	11.1

Percent (n=27)

Child's before or after-school activities

	Percent
Not a Concern	55.6
Concerns me a little	18.5
Concerns me somewhat	18.5
Concerns me greatly	7.4

Percent (n=27)

Speed of traffic along route

	Percent
Not a Concern	42.9
Concerns me a little	14.3
Concerns me somewhat	14.3
Concerns me greatly	28.6

Percent (n=28)

Amount of traffic along route

	Percent
Not a Concern	34.5
Concerns me a little	13.8
Concerns me somewhat	20.7
Concerns me greatly	31.0

Percent (n=29)

Amount of traffic near school

	Percent
Not a Concern	29.6
Concerns me a little	18.5
Concerns me somewhat	25.9
Concerns me greatly	25.9

Percent (n=27)

Crossing train/railroad tracks

	Percent
Not a Concern	92.6
Concerns me a little	
Concerns me somewhat	
Concerns me greatly	7.4

Percent (n=27)

Adults to walk or bike with — Child/children would be walking/bicycling alone to school

	Percent
Not a Concern	74.1
Concerns me a little	11.1
Concerns me somewhat	3.7
Concerns me greatly	11.1

Percent (n=27)

Sidewalks or pathways — none or inadequate

	Percent
Not a Concern	40.7
Concerns me a little	14.8
Concerns me somewhat	14.8
Concerns me greatly	29.6

Percent (n=27)

Parent-Child Survey

Safety of intersections and crossings

Response	Percent
Not a Concern	40.7
Concerns me a little	18.5
Concerns me somewhat	25.9
Concerns me greatly	14.8

Percent (n=27)

Crossing guards — none or inadequate

Response	Percent
Not a Concern	55.6
Concerns me a little	14.8
Concerns me somewhat	22.2
Concerns me greatly	7.4

Percent (n=27)

Violence or crime — stranger danger

Response	Percent
Not a Concern	39.3
Concerns me a little	25.0
Concerns me somewhat	10.7
Concerns me greatly	25.0

Percent (n=28)

Weather or climate

Response	Percent
Not a Concern	21.4
Concerns me a little	35.7
Concerns me somewhat	35.7
Concerns me greatly	7.1

Percent (n=28)

Safe place for bike storage

Response	Percent
Not a Concern	85.2
Concerns me a little	7.4
Concerns me somewhat	3.7
Concerns me greatly	3.7

Percent (n=27)

Child does not like to walk or bicycle to school

| Response	Percent
Not a Concern	81.5
Concerns me a little	11.1
Concerns me somewhat	3.7
Concerns me greatly	3.7

Percent (n=27)

Parent-Child Survey

Please rate the following community conditions that may be present on your child's route to school:

Condition of Sidewalks (condition, width)

Rating	Percent
Excellent	6.3
Good	28.1
Fair	31.3
Poor	18.8
Non Existent	15.6

Percent (n=32)

Traffic and Driver Behavior (speeding, busy traffic)

Rating	Percent
Excellent	6.1
Good	15.2
Fair	54.5
Poor	24.2

Percent (n=33)

Street Crossings (condition, width, traffic control)

Rating	Percent
Excellent	9.1
Good	48.5
Fair	27.3
Poor	15.2

Percent (n=33)

Public Trail Access

Rating	Percent
Excellent	6.5
Good	9.7
Fair	19.4
Poor	6.5
Non Existent	58.1

Percent (n=31)

Street Crossing Accessibility (curb cuts, sidewalk to street transition)

Rating	Percent
Excellent	6.3
Good	28.1
Fair	50.0
Poor	15.6

Percent (n=32)

Public Trail Condition/Ease of use

Rating	Percent
Excellent	6.1
Good	15.2
Fair	15.2
Poor	3.0
Non Existent	60.6

Percent (n=33)

Parent-Child Survey

Safety (crime rates)

Excellent	33.3
Good	57.6
Fair	9.1
Poor	

Percent (n=33)

Landscape Appeal (visually interesting, scenic)

Excellent	9.1
Good	57.6
Fair	33.3
Poor	

Percent (n=33)

What type of concern do you have for bullying?

Not a Concern	57.1
Concerns me a little	17.9
Concerns me somewhat	14.3
Concerns me greatly	10.7

Percent (n=28)

**Would you probably let your child walk or bike to or from school more often if this problem were changed or improved?**

Legend: ■ Yes (green) ■ No (orange) ■ Not Sure (yellow)

Categories (vertical axis, top to bottom):
- Child does not like to walk/bike to school (n=18)
- Safe bike storage (n=18)
- Weather (n=21)
- Violence or crime (n=19)
- Bullying of Child (n=20)
- Crossing guards (n=19)
- Safety of intersections and crossings (n=20)
- Sidewalks or pathways (n=20)
- Child walking/bicycling alone without adult (n=18)
- Crossing train/RR tracks (n=19)
- Amount of traffic near school (n=21)
- Amount of traffic along route (n=20)
- Speed of traffic along route (n=20)
- Child's before/after school activities (n=22)
- Time (n=19)
- Inconvenience (n=19)
- Distance (n=20)

Horizontal axis: Percent (0 to 100)

Parent-Child Survey

Overall rating of school route walkability/bikeability?

Rating	Percent
Excellent	15.6
Good	56.3
Fair	21.9
Poor	6.3

Percent (n=32)

*How much FUN is walking or biking to/from school for your child?

Rating	Percent
Very Fun	15.6
Fun	56.3
Neutral	28.1
Boring	
Very Boring	

Percent (n=32)

*In your opinion, how much does your child's school encourage or discourage walking and biking to/from school?

Rating	Percent
Strongly Encourages	14.3
Encourages	21.4
Neither	64.3
Discourages	
Strongly Discourages	

Percent (n=14)

*How HEALTHY is walking or biking to/from school for your child?

Rating	Percent
Very healthy	66.7
Healthy	24.2
Neutral	6.1
Unhealthy	
Very Unhealthy	3.0

Percent (n=33)

Would you allow your child/children to participate in a Safe Routes to School program if adult supervision was provided?

| Rating	Percent
Yes	51.5
No	12.1
Not Sure	36.4

Percent (n=33)

Would you be interested in volunteering to help plan, develop or improve a Safe Routes to School program?

| Rating	Percent
Yes	9.4
No	43.8
Not Sure	46.9

Percent (n=32)

Parent-Child Survey

**Would you be interested in escorting (walking with) a group of children to school one or more times a week?**

	Percent
Yes	12.1
Not Sure	21.2
Can't	42.4
No	24.2

Percent (n=33)

Are Safe Routes to School program components a part of your school's Wellness Policy?

	Percent
Yes	13.1
Do Not Know	75.4
No	11.5

Percent (n=61)

*What is the highest level of education you completed?

	Percent
College Graduate	42.6
Some college or technical school	39.3
High school graduate	9.8
Some high school	
Elementary	4.9
Prefer not to Answer	3.3

Percent (n=61)

School Distance Buffers

Euclidean buffers (as the crow flies) are often used to determine the distance students live from a school and are illustrated in the map below. However, SRTS planning teams should be cautioned that the true distance for a child to walk along a network (street, sidewalk or trail) to the school could be a longer distance.

Network buffer maps take into account the street network and are more appropriate when determining the distance a student would travel to get to school if all streets provided adequate sidewalks and crossings.

Iowa State University Extension & Outreach
Extension Community Economic Development
Contact: Chris Seeger   cjseeger@iastate.edu
Basemap: Iowa DOT
May 2013

0 - 0.5	0.5 - 1	1 -1.5	1.5 - 2 Miles

School

Miles

0   0.5   1   1.5

School Sidewalk Network Connectivity

Expanding upon the network buffer in the previous map, streets with walkable sidewalks on either side were identified and included in the network analysis. The result is a map that illustrates the distance a student could travel from the school if limited to only those streets that included at least one adjacent sidewalk. The city core, which is generally an older residential area typically has sidewalks along both sides of the street and presents a robust network of walking paths. Areas of newer development typically have an irregular or absent network with little or no connectedness, making safe walking a challenge for the student.

Iowa State University Extension & Outreach
Extension Community Economic Development
Contact: Chris Seeger   cjseeger@iastate.edu
Basemap: Iowa DOT
May 2013

0 - 0.5   0.5 - 1   1 -1.5   1.5 - 2 Miles

School   Existing Sidewalks

Miles

0   0.25   0.5

Sidewalk Availability

Using aerial photography and the data collected by the volunteers using the iPhone SRTS infrastructure tool, the map below identifies the streets that have incomplete sidewalks, sidewalks on one or both sides of streets with no sidewalks at all.

Sidewalk: —— No —— 1 side —— 2 sides —— unknown

Iowa State University Extension & Outreach
Extension Community Economic Development
Contact: Chris Seeger   cjseeger@iastate.edu
Basemap: Iowa DOT
May 2013

School

Miles

0   0.25   0.5

Intersection Crash Summary

The map below uses Iowa Department of Transportation data from 2009 through April 2013 to identify the intersections where accidents occurred. Special consideration should be given to these intersections when identifying routes for walking programs.

Iowa State University Extension & Outreach
Extension Community Economic Development
Contact: Chris Seeger   cjseeger@iastate.edu
Basemap: Iowa DOT
May 2013

All Crashes

| 1 | 2 - 3 | 4 - 6 | 7 - 10 | 10+ |

Miles

| 0 | 0.25 | 0.5 | 0.75 |

Automobile & Pedestrian Crash Data

The map below uses Iowa Department of Transportation data from 2009 through April 2013 to identify the locations where accidents with non-motorists occurred. Special consideration should be given to these locations when identifying routes for walking programs.

No Crashes During Period

Iowa State University Extension & Outreach
Extension Community Economic Development
Contact: Chris Seeger   cjseeger@iastate.edu
Basemap: Iowa DOT
May 2013

Miles

| 0 | 0.25 | 0.5 | 0.75 | 1 | 1.25 |

🏠 School

Transportation Data

	Skater		Pedestrian		Cyclist
	1		1		1
	2 - 3		2 - 3		2 - 3
	4 - 6		4 - 6		4 - 6
	7 - 10		7 - 10		7 - 10
	10+		10+		10+

Identified Routes To/From School

As part of the Parent/child survey, students identified the routes they would use or consider using to walk or bike to school. The map below shows the routes that were identified by multiple students. These routes should be considered when developing the SRTS plan.

Iowa State University Extension & Outreach
Extension Community Economic Development
Contact: Chris Seeger   cjseeger@iastate.edu
Basemap: Iowa DOT
May 2013

Popular Routes to School

0 - 2
3 - 5
6 - 10
11 - 20
21 - 32

School

Miles

0   0.25   0.5   0.75

Perceived Dangerous Intersections

The map below shows intersections that parents identified in the Parent/Child online survey as being dangerous. The definition of dangerous was a judgment of the parent with no specified criteria established.

Iowa State University Extension & Outreach
Extension Community Economic Development
Contact: Chris Seeger   cjseeger@iastate.edu
Basemap: Iowa DOT
May 2013

Dangerous intersection

Difficult crossing

School

Miles

0   0.5   1

Perceived Traffic Issues

The map below shows perceived traffic issues that parents identified in the Parent/Child online survey. The location of a particular traffic issue was up to the judgment of the parent with no specified criteria established.

Iowa State University Extension & Outreach
Extension Community Economic Development
Contact: Chris Seeger   cjseeger@iastate.edu
Basemap: Iowa DOT
May 2013

Miles

Symbol	Legend
Driver behavior	Railroad crossing
Heavy traffic	Speeding traffic
Parking	School

Potential Improvements

The map below shows potential improvements that were identified in the Parent/Child online survey.

Iowa State University Extension & Outreach
Extension Community Economic Development
Contact: Chris Seeger   cjseeger@iastate.edu
Basemap: Iowa DOT
May 2013

🚲 Add bike rack

🚶 Add crossing signal

🚧 Add short connection

⚠️ Curb cuts needed

🏠 School

Miles
0   0.5   1

Perceived Infrastructure Issues

The map below shows perceived infrastructure issues that parents identified in the Parent/Child online survey. Identified locations near the school or along major walking routes should be a top priority

Iowa State University Extension & Outreach
Extension Community Economic Development
Contact: Chris Seeger   cjseeger@iastate.edu
Basemap: Iowa DOT
May 2013

Damaged

Blocked

Landscape maintenance

No sidewalk

Other

Scary animals

School

Miles

0   0.25   0.5   0.75   1

GPS Training Session

GPS Walkability Workshops trained citizens to conduct a community iventory using iPhones equipped with a copy of the ESRI ArcGIS app that was customized by ISUEO for the purpose of mapping SRTS infrastructure and saving this information to a geographic information system (GIS) at ISU.

During a one-day workshop, the I-WALK team trained volunteers in each of the communities to use the iPhone app. The volunteers then took to the streets to collect the data. Volunteers were asked to evaluate intersections and mid-block areas and to document any additional resources that may impact the walkability of the area around the school. The following figures show questions the volunteers were asked at each location and additional features that could be mapped as well as the iPhone interface. Answer options identified in bold text were default rsponses for each question. Additional data is also available online at www.i-walk.org

Midblocks: Are their sidewalks in the Midblock?

Are there sidewalks midblock?	
	◆ Complete on both sides of street
	◇ Complete on one side of street & no sidewalk on the other
	◇ Complete on one side of the street & incomplete on other
	◇ Incomplete on one side & no sidewalk on other
	◆ Incomplete on both sides of street
	◆ No sidewalks on either side
What is the condition of the sidewalk?	• Good - free of major cracks and uneven areas, can easily walk or bicycle • Fair - has some major cracks and uneven areas, but still able to ride a bicycle • Poor - is uneven or has major cracks or missing concrete throughout
Is the sidewalk wide enough for two adults to walk side by side?	• **Yes** • No • Unsure
Is the sidewalk set back from fast-moving traffic?	• **Yes** • No • Unsure
Is the route pleasant to walk? (no litter, visually interesting)	• **Yes** • No • Unsure
Is street lighting provided?	• **Yes** • No • Unsure
How many dedicted bike lanes along the road	• **0**, 1, 2
Comment:	

Additional Features

Bike Rack	Bus Stop	Cars Block-ing Sidewalk	Cracked Sidewalk	Crossing Guard	Crosswalk not at intersection	Scary Dogs

Sidewalk ends	Sidewalk with Stairs	Vegetation Blocking Route	Often has standing water	Other	Large Truck Traffic

Intersection-Elementary student feel safe?

Do you think an elementary student would feel safe crossing this street?	⊕ Yes ⊕ Maybe ⊕ No ⊕ --
Do you think an adult would feel safe crossing this street?	• **Yes** • No
How many streets intersect? For Example: 3 streets 4 streets 5 streets	1, 2, 3, 4, 5, 6 (Type in number)
How is traffic controlled at the intersection?	• Yield • One Way stop • Two Way stop • Three Way Stop • Four Way Stop • Roundabout • Traffic Light • Flashing alert • No traffic control
Is there a traffic light pedestrian crossing signal? (Walk/Don't Walk)	• Yes • **No**
Do the sidewalks have curb cuts/ramps?	• **Yes** • Yes, but curb cut/ramp needs improvement • No
How many streets have painted crosswalks?	1, 2, 3, 4, 5, 6 (Type in number)
Is the road too wide to cross safely?	• Yes • **No** • Unsure
Is there enough time to cross the street?	• **Yes** • No
Are there items that make it difficult for you to see traffic or for traffic to see you?	• Yes • **No**
Comment:	

# GPS Data Collection Evaluation

Selecting the community from the list of maps displayed a map of the community on the screen.

The map of the community could be zoomed and panned as necessary. Points already collected by other volunteers (red dot) were dynamically shared across devices.


Opening the toolbox icon, users could collect new features to add to the map.

Features could be mapped at an intersection, midblock or as a random event.

GPS Data Collection

Once a type of feature was selected, questions regarding the feature were presented.

Questions were answered by selecting the correct result from a pick list.

After answering the questions, the user could locate the feature on the map. This could be done by clicking on the correct location on the map, or using the GPS to place the feature at the current location.

In addition to collecting feature location and attributes, users had the option of taking a photo and saving it as part of the documentation.

Points saved with the iPhone were automatically transmitted back to ISU's GIS server where they could be shared with other devices and later used in analysis.

GPS Data Collection Evaluation

A detailed evaluation of the GPS Assessment Training was conducted at the workshop conclusion to guide future developments of the activity. The training evaluation was used to measure participants' reactions, learning, understanding and application of the mapping activity. A questionnaire was administered to the volunteers after \ completing the mapping activity. Respondents were community residents. Results from the evaluation are presented below.

GPS Assessment Training Evaluation Results

|	
When you left the training, how prepared did you feel to conduct a GPS walkability assessment	1.8
Were the materials presented in a way that made sense and flowed smoothly	1.4
Was the training organized and arranged in a manner that made sense and "user friendly"	1.3
How helpful is it to practice GPS assessment before actually doing it	1.5
Were you given ample opportunity to ask questions during the training	1.3
Did the answers to your questions make sense	1.1
Overall rating of workshop	4.4
Rating of trainer	4.6
Rating of organization of workshop	4.3
Rating of usefulness of workshop	4.3
Rating of understanding of GPS Assessment Procedures	4.1
Rating of understanding of effectiveness of GPS Assessment	4.3

- The first question asked community volunteers how prepared they were to conduct a walkability assessment following the training (1 "Very well prepared" – 5 "Not at all prepared"). For the most part, community volunteers were very well prepared to conduct the walkability assessment.

- Respondents reported the training materials were presented in a way that made sense and flowed smoothly (1 "Very well" – 5 "Not at all").

- The training was organized and arranged in a manner that made sense (1 "Very well organized" – 5 "Not at all organized").

- It was very helpful to practice a GPS assessment before actually doing it (1 "Very helpful" – 5 "Not at all helpful").

- Community volunteers were given ample opportunity to ask questions during the training (1 "Very much opportunity" – 5 "Not at all provided opportunity").

- For the most part, answers to questions posed during the training made sense to the volunteers (1 "Yes," 2 "Somewhat," 3 "No").

Overall, the training workshop and the trainer were rated as excellent (1 "Very poor" – 5 "Excellent"), and the workshop was very organized (1 "Very disorganized" – 5 "Very organized"). In addition, the workshop was very useful (1 "Not useful at all" – 5 "Very useful"). The GPS assessment procedures were very well understood (1 "Not understood at all" – 5 "Very well understood"), as well as the understanding of the effectiveness of the GPS assessment.

Damaged Sidewalks

Areas with damaged sidewalks identified by the volunteers using the iPhone device.

Iowa State University Extension & Outreach
Extension Community Economic Development
Contact: Chris Seeger   cjseeger@iastate.edu
Basemap: Iowa DOT
May 2013

Miles

0   0.25   0.5

● Poor - is uneven or has major cracks or missing concrete throughout

● Fair - has some major cracks and uneven areas, but still able to ride a bicycle

● Good - free of major cracks and uneven area, can easily walk or bicycle

School

Sidewalk Setbacks and Sidewalk Width

Using the iPhone devices, volunteers identified sidewalks that were not set back from the street as well as sidewalks not wide enough for two adults to walk side-by-side.

Iowa State University Extension & Outreach
Extension Community Economic Development
Contact: Chris Seeger   cjseeger@iastate.edu
Basemap: Iowa DOT
May 2013

● Sidewalks not set back from traffic

✚ Sidewalk not wide enough for two adults to walk side by side

🏠 School

Miles

0   0.25   0.5   0.75

Street Lighting and Pleasant Routes

Volunteers evaluated at the midblock if they could see that street lighting was provided at the nearest intersection or along the street. Volunteers also identified if the particular street was pleasant to walk.

Iowa State University Extension & Outreach
Extension Community Economic Development
Contact: Chris Seeger   cjseeger@iastate.edu
Basemap: Iowa DOT
May 2013

School

No street lighting

Route not pleasant to walk or has litter

Painted Crosswalks

Using the iPhone devices, volunteers identified areas that had visible painted crosswalk.


Iowa State University Extension & Outreach
Extension Community Economic Development
Contact: Chris Seeger   cjseeger@iastate.edu
Basemap: Iowa DOT
May 2013

▦ Painted Crosswalks   🏠 School

Miles

0   0.25   0.5

Would Not Feel Safe Crossing the Street

Using the iPhone devices, volunteers identified areas that they thought as an adult that a student would not feel safe crossing. In addition, specific intersections were also identified as being equally unsafe for an adult to cross.

Iowa State University Extension & Outreach
Extension Community Economic Development
Contact: Chris Seeger   cjseeger@iastate.edu
Basemap: Iowa DOT
May 2013

School   Adult Wouldn't Feel Safe

Student Wouldn't Feel Safe

Miles

0   0.25   0.5   0.75

Insufficient Time to Cross Street

Using the iPhone devices, volunteers identified intersections where the data collector did not consider there to be sufficient time to cross the street safely as well as intersections where items might make it difficult for motorist to see children or for children to see motorists.

Iowa State University Extension & Outreach
Extension Community Economic Development
Contact: Chris Seeger   cjseeger@iastate.edu
Basemap: Iowa DOT
May 2013

✳ Not enough time to cross the street

▲ Items blocking view

🏠 School

Miles

0   0.25   0.5

Intersection Curb Cuts and Road Width

Using the iPhone devices, volunteers identified intersections where the sidewalks did not have curb cuts connecting to the street and where the street might be too wide for a child to safely cross.

Iowa State University Extension & Outreach
Extension Community Economic Development
Contact: Chris Seeger   cjseeger@iastate.edu
Basemap: Iowa DOT
May 2013

▲ Sidewalks do not have curbcuts/ramps

● Road is too wide to cross safely

🏠 School

Miles

0   0.25   0.5

Infrastructure Challenges and Assets

Using the iPhone devices, volunteers identified various infrastructure challenges (e.g., car blocking a sidewalk) and assets (e.g., presence of a bike rack).

Iowa State University Extension & Outreach
Extension Community Economic Development
Contact: Chris Seeger   cjseeger@iastate.edu
Basemap: Iowa DOT
May 2013

Miles

| 0 | 0.25 | 0.5 |

Legend:

- Bike Rack
- Bus Stop
- Sidewalk ends
- Cracked Sidewalk
- Crossing Guard
- Scary Dogs
- School
- Vegetation Blocking Route
- Sidewalk with Stairs
- Crosswalk not at intersection
- Cars blocking sidewalk
- Often has standing water
- Large Truck Traffic
- Other

Community Coalition

Inviting and involving key partners to be a part of the community coalition is essential to having a successful Safe Routes to School (SRTS) program. Each community was charged with identifying key organizations and individuals ready to get involved in the discussions surrounding a safe and healthy environment to send students to and from school. A community coalition should be a well-rounded group that represents a wide range of interests and expertise that are related to SRTS. Local public health representatives accessed online resources, developed specifically for I-WALK, to engage and lead the coalition members.

	Participants
Local Public Health	3
School representative	1
Parent	1
School Transportation Director	
Student	
Community Representative/Citizen (local business; neighborhood & community association representatives; pedestrian, bicycle, & safety advocates)	4
Parks and Recreation Department	1
Public Safety/School Resource Officer/Law Enforcement	
City Planner/Municipal Representative	1
ISU Extension	1
DNR (Department of Natural Resources) Representative	
Grandparent	
Service or Volunteer Organization Representative	
Safe Routes to School	
Other	5
Totals	17

The goal of SRTS programs is to give a community the opportunity to make walking and bicycling to school safer and more accessible for children, including those with disabilities, and to increase the number of children who choose to walk and bicycle. On a broader level, SRTS programs can enhance children's health and well-being, ease traffic congestion near the school and improve air quality and improve community members' overall quality of life.

Communities are encouraged to tailor a combination of engineering, education, encouragement, and enforcement strategies to address the specific needs of their schools.

Engineering
"Engineering" is a broad concept used to describe the design, implementation, operation and maintenance of traffic control devices or physical measures, including both low and high-cost capital measures. Engineering approaches can improve children's safety to enable more bicycling and walking. Engineering should also improve the accessibility of walking and bicycling routes for children with disabilities.

Enforcement
Enforcement, especially for SRTS programs, is a network of community members working together to promote safe walking, bicycling and driving. This can be accomplished through safety awareness, education and, where necessary, the use of ticketing for dangerous behaviors. Enforcement includes students, parents, adult school crossing guards, school personnel and neighborhood watch programs working in conjunction with law enforcement to enforce rules for safe walking, bicycling and driving.

Encouragement
Encouragement strategies are about having fun, they generate excitement and interest in walking and bicycling. Special events, mileage clubs, contests and ongoing activities all provide ways for parents and children to discover, or rediscover, that walking and bicycling are doable and a lot of fun.

Increase the number of children who walk and bicycle to school safely. In particular, encouragement and education strategies are closely intertwined, working together to promote walking and bicycling by rewarding participation and educating children and adults about safety and the benefits of bicycling and walking.

Education
While education dovetails with engineering and enforcement, it is most closely linked to encouragement strategies. For example, children may learn pedestrian and bicyclist safety skills and then get the chance to join a mileage club that rewards children for walking or bicycling to school. Encouragement activities also offer "teachable moments" to reinforce pedestrian and bicyclist safety education messages.

Evaluation
Evaluation is used to determine if the aims of the strategies are being met and to assure that resources are directed toward efforts that show the greatest likelihood of success. Also, evaluation can identify needed adjustments to the program while it is underway. This information describes how to conduct a SRTS program evaluation that is tailored to that program's objectives and strategies.

General Recommendations to Communities

The first step of SRTS is to do an assessment like I-WALK. Once the infrastructure data is collected, the next step is to observe how kids get to and from school. Communities are encouraged to spend time observing how and where students cross the street. Using the data provided in the infrastructure assessment and parent survey as a guide, evaluators can determine where observations should start.

The primary focus area should be ½ mile around the elementary school. Past this point it becomes increasingly unlikely that a child will walk and if the first one-half mile is not walkable, it does not matter what the second one-half mile is like.

After the observation step has been completed, the community should use the collected data and observations to prioritize where to begin improvements.

The following recommendations are "general" recommendations to all communities. The word "general" does not imply that they are of lesser importance than any of the specific recommendations for each one of the school districts and their respective community. These are common recommendations of importance to create safer pedestrian and bicycle environments while at the same time encourage walking and bike riding to and from school.

Community
- Focus on projects that are the low cost and easy to implement first.
- Implement Complete Streets.
- Update the city's comprehensive plan every two years.
- With each comprehensive plan update, specifically address access to physical activity infrastructure in the street and sidewalk section, and in the parks and recreation section by all segments of the population.
- In the comprehensive plan set specific goals and evaluation criteria for access to and availability of the physical activity infrastructure including (but not limited to):
    - Sidewalks
    - Bike paths
    - Walking and hiking trails
    - Recreation facilities
    - Skating rinks and other winter outdoor activity facilities
    - Any other initiatives to encourage and facilitate physical activity and enjoyment of the outdoors.
- Implement annual inspection and repair of all physical activity infrastructure.
- Develop and initiate city or school-sponsored programs to retrofit sidewalks in developed areas where sidewalks are absent and/or had not been required.
- Limit vehicular traffic in the school vicinity, especially during the times immediately before and after school.
- Require high school drivers to take a driver awareness short course on pedestrian and bicycle safety in order to be able to have a parking permit at the school. Provide a reward such as a special parking sticker.
- Keep walkway/bikeways separate from the street (buffer with planting or even a bike lane)
- Ensure sidewalks are the appropriate width for the site conditions (sidewalks adjacent to a street should be wider).
- Provide a sidewalk on both sides of the street to prevent the need for jumping from one side to another.
- Provide two ramps (at curbs) per corner = one per four way intersection.

- Mark ALL crosswalks in community.
  - Use the zebra stripe pattern as opposed to the simple striped lines across the road.
  - Provide 'shark teeth' paint markings to show where cars should stop for crosswalks – particularly on multi lane roads.
  - While flashers and crosswalk may seem to be an area to focus, be aware that studies show you only get about a 3 mile per hour reduction in speed when these devices are installed. Putting up signs that remind drivers that it is the law that pedestrians have the right of way and that there is a fine for not following the law can also be effective.
- Review the MUTCD (Manual on Uniform Traffic Control Devices) to ensure that signage is current. See figure below or visit http://mutcd.fhwa.dot.gov/htm/2009/part7/part7_toc.htm
- Do not spend an excessive amount of time and money making the drop/off pickup more convenient. It needs to be safe, but if made easy then it will be more likely that kids are dropped off and picked up at school as opposed to walking/biking.
- Post traffic control signs on each I-WALK Route with the fine listed for violation. Nail a few violators in the first few days of posting.
- Publish walking maps for each neighborhood that include:
  - Community amenities and services such as schools, libraries, playgrounds, city offices, etc.
  - Unique vegetation, bird species
  - Distances between destinations
  - Walking times to destinations
  - Safest routes, crossings, etc.

School
- Move bike racks away from the Bus/Parent pickup points to avoid congestion in those areas.
- Provide bike racks that allow the frame of the bike to be attached to the rack – not just the wheels.
- In instances where motor vehicles turn at the same time the crossing light is green consider using a Leading pedestrian interval instead of a concurrent signal
- Use methods to slow traffic around the school
  - Speed bump
  - Street Diet (Go from 4 to 2 lanes)
  - Extend curb into road (also creates a shorter distance for the student to cross).

2009 Edition Part 7 Figure 7B-6. In-Street Signs in School Areas

Figure 7B-6. In-Street Signs in School Areas

Figure 7B-6. In-Street Signs in School Areas

Additional survey and GPS maps for Tingley, Kellerton and Redding, a PDF version of this report and other supplementary materials available at www.i-walk.org